

331202.00003



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#12

PB

11-21-03

In re Application of:

Timothy M. RICHARDSON

U.S. Application No.: 09/673,671

Filed: September 7, 2000

For: MICROSCOPE SLIDE SYSTEM
AND METHOD OF USE

) Group Art Unit: 2152

) Examiner: Lee A. Fineman

) October 15, 2003

RECEIVED
OCT 20 2003
Technology Center 2100

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CHANGE OF CORRESPONDENCE ADDRESS

Sir:

Initially, please change the Attorney Docket number in this case from "320043.00002" to
--331202.00003--.

Applicant requests a change of correspondence address and customer number from:

Fitzpatrick, Cella, Harper & Scinto
Customer No. 05514
277 Park Avenue
New York, New York 10172

to:

Patent Administrator
Katten Muchin Zavis Rosenman
Customer No. 27160
525 West Monroe Street
Suite 1600
Chicago, Illinois 60661-3693

Applicant's undersigned attorney may be reached in our Washington, D.C. office by telephone
at (202) 625-3500. All correspondence should to be directed to our address given below.

Respectfully submitted,



Attorney for Applicant
Dawn C. Hayes
Registration No. 44,751

Patent Administrator
KATTEN MUCHIN ZAVIS ROSENMAN
525 West Monroe Street
Suite 1600
Chicago, Illinois 60661-3693
Facsimile: (312) 902-1061